

Compliance Statement

No. 2024-182

Data communication cable, Category 7

Company

ACOME
Usines de Mortain Romagny
50140 Mortain
France

Product description

Screened cable (F/FTP) characterised up to 600 MHz
Horizontal floor wiring cable, 100 Ω
4 and 2x4 individually foil screened twisted pairs with overall foil screen
Flame retardant, halogen free

Product identification

ACOLAN 1000 FF Cat.7 LSOH-FR
ACOLAN 1000 FFD Cat.7 LSOH-FR DUAL
ACOLAN FIREPROTECT 1000 FF Cat.7 LSOH-FR
ACOLAN FIREPROTECT 1000 FFD Cat.7 LSOH-FR DUAL

Generic cabling and cabling components standards - Category 7 cable requirements

- ISO/IEC 11801-1:2017 (Ed. 1.0) / ISO/IEC 11801-2:2017 (Ed. 1.0)
- IEC 61156-5:2020 (Ed. 3.0)
- EN 50173-1:2018 / EN 50173-2:2018
- EN 50288-4-1:2013

Standards for flammability, halogen acidity, and smoke performance

- IEC 60332-1-1:2015 (Ed. 1.1) / IEC 60332-1-2:2015 (Ed. 1.1)
- IEC 60754-2:2019 (Ed. 2.1)
- IEC 61034-1:2019 (Ed. 3.2) / IEC 61034-2:2019 (Ed. 3.2)

Technical report

12326785-04, DANAK-19/23647
12326785-02, DANAK-19/23645

EC Cabling product ID


6960
6961

CS valid until

1 October 2024

This product has been tested by FORCE Technology and complies with the requirements of the above specified standards and "Terms and conditions for the EC VERIFIED programme for Generic and Coaxial Cabling", DQP231006. The product takes part in a maintenance schedule, which implies that FORCE Technology performs a quality audit of the manufacturer's production and QA sites. The maintenance testing of the product is performed on a sample basis.

Hørsholm, 14 February 2024


Lars Lindskov Pedersen
Test Manager


Dennis Andersen
Head of Department

