

Compliance Statement

No. 2024-032

Connecting Hardware, Category 6A

Including 4 Pair Power over Ethernet (4PPoE)
(Un-mating connectors under electrical load of up to 2 A per conductor)

Company

HSD
12 Rue des Cévennes
91090 LISSES
France

Product description

Screened Category 6A RJ45 Keystone Jack and Patch panel characterised up to 500 MHz, 100 Ω

Product identification

Screened Cat. 6A RJ45 Keystone Jack. Part Number: HSD 8614A
Screened Cat. 6A Patch Panel. Part Number: HSD 8701

Generic cabling and cabling components standards - Category 6A connector requirements

- ISO/IEC 11801-1:2017 (Ed. 1.0) / ISO/IEC 11801-2:2017 (Ed. 1.0)
- IEC 60603-7-51:2010 (Ed.1.0)
- EN 50173-1:2018 / EN 50173-2:2018
- TIA-568.2-D:2018
- IEC 60512-99-002:2022

Technical report

12421823, DANAK-19/23951

EC Cabling product ID


5858

CS valid until

1 February 2025

This product has been tested by FORCE Technology and complies with the electrical requirements of the above specified standards and "Terms and conditions for the EC VERIFIED programme for Generic and Coaxial Cabling", DQP231006. The testing included measurement of NEXT with a compliant test plug and calculation of all the 14 test cases in both measurement directions. The product takes part in a maintenance of certification schedule, which implies that FORCE Technology performs a quality audit of the manufacturer's production and QA sites. The maintenance testing of the product is performed on a sample basis once a year.

Hørsholm, 12 January 2024


Lars Lindskov Pedersen
Test Manager


Dennis Andersen
Head of Department