

Attestation of Conformity

No. 2020-426

Cables for use in construction works Reaction to fire class D_{ca}

Company

Norden Communication UK Ltd
Unit 13 Baker Close, Oakwood Business Park
Clacton-On-Sea
Essex CO15 4BD
United Kingdom

Product description

Unscreened communication cable (U/UTP) with solid conductors
4 twisted pairs, LSZH

Product identification

Category 6A U/UTP 23 AWG 4 Pair Cable LSOH
Part no.: 114-10008104X

Reaction to fire standards

- EN 50575:2014 including amendment A1:2016
- EN 60332-1-2:2004 including amendments A1:2015 and A11:2016
- EN 50399:2011 including amendment A1:2016
- EN 60754-2:2014 including amendment A1:2020
- EN 13501-6:2018

Reaction to fire classification

Class D_{ca}-s2,d2,a1

Technical report


12028011-02, DANAK-19/21201

EC Cabling product ID

7117

This product has undergone a one-time test performed by FORCE Technology and complies with the requirements for the stated reaction to fire class. The classification has been carried out in accordance with EN 13501-6 for use in relation to the Construction Products Regulation (CPR) under AVCP system 3.

Hørsholm, 16 June 2020



Lars Lindskov Pedersen
Test Manager



Dennis Andersen
Head of Department