

Compliance Statement

No. 2024-124

Data communication cable, Category 6A

Company

PCnet Wire & Cable Co., Ltd.
No. 381, Sec 1, Jhongping Rd.
Hukou Township
Hsinchu County 30341
Taiwan (R.O.C.)

Product description

Screened cable (F/FTP) characterised up to 500 MHz
Horizontal floor wiring cable, 100 Ω
4 individually foil screen twisted pairs with overall foil screen
Flame retardant, halogen free

Product identification

PCnet SupremeNet 500 66304AFSH-B2ca CAT.6A F-FTP FR-LSZH CABLE; Part no. 66304764xx-4
PCnet SupremeNet 500 66304AFSH-Cca CAT.6A F-FTP FR-LSZH CABLE; Part no. 66304764xx-3
(xx: jacket colour)

Generic cabling and cabling components standards - Category 6A cable requirements

- ISO/IEC 11801-1:2017 (Ed. 1.0) / ISO/IEC 11801-2:2017 (Ed. 1.0)
- IEC 61156-5:2020 (Ed. 3.0)
- EN 50173-1:2018 / EN 50173-2:2018
- EN 50288-10-1:2012
- TIA-568.2-D:2018

Standards for flammability, halogen acidity, and smoke performance

- IEC 60332-1-1:2015 (Ed. 1.1) / IEC 60332-1-2:2015 (Ed. 1.1)
- IEC 60754-2:2019 (Ed. 2.1)
- IEC 61034-1:2019 (Ed. 3.2) / IEC 61034-2:2019 (Ed. 3.2)

Technical report

12231354-02, DANAK-19/23172

EC Cabling product ID


7246, 7335

CS valid until

1 July 2024

This product has been tested by FORCE Technology and complies with the requirements of the above specified standards and "Terms and conditions for the EC VERIFIED programme for Generic and Coaxial Cabling", DQP231006. The product takes part in a maintenance schedule, which implies that FORCE Technology performs a quality audit of the manufacturer's production and QA sites. The maintenance testing of the product is performed on a sample basis.

Hørsholm, 31 January 2024


Lars Lindskov Pedersen
Test Manager


Dennis Andersen
Head of Department

