

# Compliance Statement

No. 2021-050

## Data communication cable, Category 6A

### Company

QPCOM Inc.  
6030 NW 99 Ave. Suite 404  
Miami, FL 33178  
USA

### Product description

Screened cable (F/FTP) characterised up to 500 MHz  
Horizontal floor wiring cable, 100  $\Omega$   
4 individually foil screened twisted pairs with overall foil screen  
Flame retardant, halogen free

### Product identification

QP-66304AL Cat.6A F-FTP LSZH

### Generic cabling and cabling components standards - Category 6A cable requirements

- ISO/IEC 11801-1:2017 (Ed. 1.0) / ISO/IEC 11801-2:2017 (Ed. 1.0)
- IEC 61156-5:2020 (Ed. 3.0)
- EN 50173-1:2018 / EN 50173-2:2018
- EN 50288-10-1:2012
- TIA-568.2-D:2018

### Standards for flammability, halogen acidity, and smoke performance

- IEC 60332-1-1:2015 (Ed. 1.1) / IEC 60332-1-2:2015 (Ed. 1.1)
- IEC 60754-2:2019 (Ed. 2.1)
- IEC 61034-1:2019 (Ed. 3.2) / IEC 61034-2:2019 (Ed. 3.2)

### Technical report

12122205-03, DANAK-19/21696

### EC Cabling product ID


5864

### CS valid until

1 February 2022

This product has been tested by FORCE Technology and complies with the requirements of the above specified standards and "Terms and conditions for the EC VERIFIED programme for Generic and Coaxial Cabling", DQP231006. The product takes part in a maintenance schedule, which implies that FORCE Technology performs a quality audit of the manufacturer's production and QA sites. The maintenance testing of the product is performed on a sample basis.

Hørsholm, 26 January 2021

  
Lars Lindskov Pedersen  
Test Manager

  
Dennis Andersen  
Head of Department