

Compliance Statement

No. 2023-089

Unscreened Channel, Class D

Company

TELECOCABLE
C/Principe de Vergara, 71
28006 Madrid
Spain

Channel Identification (3 connector model)

Horizontal cable:

CABLE UTP 4 PARES CATEGORIA 5E LSZH RIGIDO BLANCO, Ref. T4P5ERL1

RJ45 connector for telecommunications outlet and consolidation point:

TOMA 180° RJ45 CAT5e UTP, Ref. T001133.0004.001

Terminal cord, patch cord:

LAT.UTP LSHF CAT5E xM GR.568B, Ref. T231231.00x0.B01 (x: length)

Equipment cord:

PUNTO DE CONSOLIDACION UTP CAT.5E 3 METROS, Ref. T0004231.0030.B01

Generic cabling standards - Class D Channel requirements

- ISO/IEC 11801-1:2017 (Ed. 1.0) / ISO/IEC 11801-2:2017 (Ed. 1.0)
- EN 50173-1:2018 / EN 50173-2:2018
- TIA-568.2-D:2018

Technical report

12232246-02, DANAK-19/23183

EC Cabling product ID


5848

CS valid until

1 March 2024

This product has been tested by FORCE Technology up and complies with the electrical requirements of the above specified standards and "Terms and conditions for the EC VERIFIED programme for Generic and Coaxial Cabling", DQP231006. The product takes part in a maintenance of certification schedule, which implies that FORCE Technology performs a sample test of the product once a year.

Hørsholm, 1 February 2023



Lars Lindskov Pedersen
Test Manager



Dennis Andersen
Head of Department